

120V Zinnia™ LED Undercabinet Bar



Features

- Dimmable LED Undercabinet Light, polycarbonate diffuser with linear prisms.
- Suitable for row mounting.
- LED Driver: 120V AC, Triac Dimming, High Power Short Circuit/Overload Protection.
- Lamp: LED Array Module with LM-80 Certified LED chips.
- Knockout on the back and ends for easy access to wiring compartment.
- Individual fixtures do not have an on/off switch.
- Designed to be controlled with standard wall switch.

Specifications

Wattage	5W - 20W
Lumens	450 lm - 1800 lm
Voltage	120V
Color Temp.	3000K
Dimmable	Triac/ELV
Lamp Type	LED
CRI	90
Damp Location	Listed

Options



White



Bronze



0-10V Driver

Dimensions



Product Numbers

Item	Description	Lamp type	Lumens	CCT	Watts	Voltage	Dimming	Finish
EUM41W	12 1/4"	LED	450 lm	3000K	5W	120V	Triac/ELV	All White
EUM42W	21"	LED	800 lm	3000K	9W	120V	Triac/ELV	All White
EUM43W	24 1/4"	LED	900 lm	3000K	10W	120V	Triac/ELV	All White
EUM44W	33 1/4"	LED	1350 lm	3000K	15W	120V	Triac/ELV	All White
EUM45W	42 1/4"	LED	1800 lm	3000K	20W	120V	Triac/ELV	All White
EUM41BZ	12 1/4"	LED	450 lm	3000K	5W	120V	Triac/ELV	All Bronze
EUM42BZ	21"	LED	800 lm	3000K	9W	120V	Triac/ELV	All Bronze
EUM43BZ	24 1/4"	LED	900 lm	3000K	10W	120V	Triac/ELV	All Bronze
EUM44BZ	33 1/4"	LED	1350 lm	3000K	15W	120V	Triac/ELV	All Bronze
EUM45BZ	42 1/4"	LED	1800 lm	3000K	20W	120V	Triac/ELV	All Bronze

Product Number Builder

Example: EUM41W

ELCO LED Undercabinet Lights	Length	Finish
EUM		
	41 12 1/4"	W All White
	42 21"	BZ All Bronze
	43 24 1/4"	
	44 33 1/4"	
	45 42 1/4"	



ELCO Lighting

Dimmer Compatibility Chart

Undercabinet

EUM 41/42/43/44/45

For Reference Only

Testing conducted by ELCO Lighting is not a substitute for and does not imply certification by an independent laboratory or any other standards certification. Refer to manufacturer specifications for more detailed information on product certifications and standards. Consult the dimmer manufacturer prior to installation to ensure compatibility.

Manufacturer	Product	Part Number	Dimmed Light Output Range
120V Only			
Leviton	Decora IllumaTech Single Pole/3-Way Preset ON/OFF Dimmer	IPL06-10Z	10% - 100%
	Decora SureSlide® Single Pole/3-Way with Preset ON/OFF Switch	6674	5% - 90%
Lutron	DIVA® Series 150W Single Pole/3-Way Dimmer	DVCL-153P	5% - 86%
	Skylark® 150W Single Pole/3-Way Dimmer	SCL-153P	10% - 100%
	Maestro C•L Single Pole/3-Way/Multi-Location Dimmer	MACL-153M	7% - 100%

*NOTE: Refer to dimmer manufacturer's documentation for installation instructions and circuit details

Disclaimer: Minimum and maximum loads for LEDs and CFLs are given in number of lamps and may vary depending on the lamp being used. Testing conducted by ELCO Lighting is not a substitute for and does not imply certification by an independent laboratory or any other standards certification. Refer to manufacturer specifications for more detailed information on product certifications and standards.