

4" MEDIUM BASE HOUSINGS AND TRIMS

12W-50W MAX, 120V

LINE VOLTAGE LIGHTING

A popular choice for lighting residential and commercial spaces because of its comforting light output and easy maintenance.



FEATURES

- Double wall construction for direct contact with ceiling insulation
- Single Wall Remodel Airtight IC construction, for use in insulated ceilings
- Integral thermal protector guards against improper lamping
- Adjustable socket bracket allows for different lamp types/sizes and ensures proper and consistent lamp positioning
- cUL Listed for damp location and for feed-through
- cUL Listed for 2-hour fire resistance to meet and exceed strict fire safety codes
- Integrated non-combustible insulation acts as a sound barrier, minimizing sound transfer between floors
- Suitable for Chicago Plenum construction
- Compatible with Medium Base (E26) Incandescent, CFL, or LED lamps
- Supports LED Quick-Connect Inserts with PSA30 Socket Adapter
- Meets CA Title 24 requirements with LED insert only
- 50W MAX for E26 Base Incandescent or LED lamps
- Supports 55W PAR16, 50W PAR20, or R20 lamps
- Can be retrofitted for 120V MR16 lamps with PSA28 adapter
- 18W MAX for self-ballasted 120V CFL with GU24 base
- 12W MAX for LED
- Four remodel clips secure housing and accommodate various ceiling thicknesses
- Pre-wired junction box provided with 1/2" and 3/4" knockouts and removable access plates
- Lamp: 26W MAX CFL (PL-T), 30W MAX R20, 32W MAX CFL (PL-T), 40W MAX A19 or R16, 50W MAX PAR20 or R20, 55W PAR 16, 50W JDR or MR16 with PSA28, 75W MAX PAR30

SPECIFICATIONS

Wattage	12W, 18W, 20W, 35W, 50W MAX
Voltage	120V
Lamp Type	Medium Base E26, GU24 LED, or CFL
Damp Location	Listed

SET UP

1. Select a Housing.
2. Select a Trim



PRODUCT NUMBER BUILDER

STEP 1. Specify Housing part number (Select one)

4" LINE VOLTAGE IC & NON IC HOUSINGS

ITEM	STYLE	ICA
EL9		
EL9	50W MAX E 26 Base LED or Incandescent Lamp	
	9 Housing (5 1/2" Height)	ICA IC Airtight
	9R Remodel (6 1/4" Height)	ICA IC Airtight
	Fire Rated	
	9 Housing (5 1/2" Height)	ICA IC Airtight
	R-60 Foam Insulation	
	9AJ New Construction Housing (5 1/2" Height)	ICA IC Airtight
	12W MAX E26 Base LED Lamps	
	9LD	ICA IC Airtight
	18W MAX GU24 LED or CFL Lamp	
	9 Housing (5 3/4" Height)	ICA-G24 IC Airtight with G24 Base Socket
	9R Remodel (6 1/2" Height)	ICA-G24 IC Airtight with G24 Base Socket
	Non-IC 50W MAX PAR16, PAR 20 or R20 Lamp	
	9 Housing (5 1/2" Height)	A Airtight
	9R Remodel (5 1/2" Height)	A Airtight

PRODUCT NUMBER BUILDER

STEP 2. Specify Trim part number (Select one)

4" LINE VOLTAGE ROUND TRIMS



Style: **Airtight Smooth Cone Reflector Trim**
Item: **EL901C** (Clear)
EL901W (All White)
Lamp: 75W MAX PAR30



Style: **Airtight Baffle Cone Trim**
Item: **EL902W** (All White)
Lamp: 75W MAX PAR30



Style: **Shower Reflector Trim with Clear Lens**
Item: **EL911W** (All White)
Lamp: 30W R20



Style: **Shower Trim with Frosted Lens**
Item: **EL912W** (All White)
EL912B (All Black)
EL912BZ (All Bronze)
EL912N (All Nickel)
EL912SH (Lexan Ring)
Lamp: 30W R20



Style: **Shower Trim with Fresnel Lens**
Item: **EL913W** (All White)
EL913B (All Black)
EL913SH (Lexan Ring)
Lamp: 30W R20



Style: **Shower Trim with Frosted Pinhole Glass**
Item: **EL915W** (All White)
EL915B (All Black)
EL915BZ (All Bronze)
EL915SH (Haze/White Ring)
Lamp: 30W R20

PRODUCT NUMBER BUILDER

STEP 2. Specify Trim part number (Select one)

4" LINE VOLTAGE ROUND TRIMS



Style: **Shower Trim with Drop Opal Lens**

Item: **EL916W** (All White)
EL916B (All Black)
EL916SH (Lexan Ring)
Lamp: 30W R20



Style: **Wall Wash with Reflector Trim**

Item: **EL925W** (All White)
EL925C (Chrome)
Lamp: 50W PAR20 or R20



Style: **Chrome Reflector with Suspended Frosted Glass Trim**

Item: **EL926W** (All White)
EL926B (All Black)
EL926BZ (All Bronze)
Lamp: 50W PAR20 or R20



Style: **Open Trim**

Item: **EL930W** (All White)
Lamp: 50W PAR30




Style: **Reflector with Adjustable Socket Holder Bracket**

Item: **EL977W** (All White)
EL977B (All Black)
EL977C (Chrome/White Ring)
EL977G (Gold/White Ring)
Lamp: 55W PAR16, 50W PAR20



Style: **Adjustable Gimbal Ring Trim**

Item: **EL985W** (All White)
EL985B (All Black)
EL985BZ (All Bronze)
Lamp: 50W PAR20




Style: **Adjustable Spot Trim**

Item: **EL988W** (All White)
EL988B (Black)
Lamp: 50W JDR or MR16 with PSA28



Style: **Pinhole Trim**

Item: **EL990W** (White)
EL990B (Black)
EL990BZ (Bronze)
Lamp: 30W-50W R20, 50W PAR20



Style: **Wall Wash Baffle Trim**

Item: **EL992W** (All White)
EL992B (Black/White Ring)
EL992KW (All White with Bracket)
Lamp: 40W A19 or R16, 50W PAR20 or R20



Style: **Phenolic Step Baffle Trim**

Item: **EL993W** (All White)
EL993B (Black/White Ring)
EL993N (All Nickel)
EL993BB (All Black)
EL993BZ (All Bronze)
EL993BN (Black/Nickel Ring)
EL993NB (Nickel/Black Ring)
EL993WN (White/Nickel Ring)
EL993NW (Nickel/White Ring)
EL993BBZ (Black/Bronze Ring)
EL993BZW (Bronze/White Ring)
EL993WBZ (White/Bronze Ring)
EL993MW (All Metal White)
EL993MB (Black/White Metal Ring)
Lamp: 40W A19 or R16, 50W PAR20 or R20



Style: **Baffle Trim with Lamp Holder Bracket**

Item: **EL993KW** (All White)
EL993KB (Black/White Ring)
EL993KN (All Nickel)
EL993KBZ (All Bronze)
EL993KBN (Black/Nickel Ring)
EL993KNB (Nickel/Black Ring)
EL993KNW (Nickel/White Ring)
Lamp: 50W PAR20 or R20



Style: **Stepped Phenolic Baffle Trim**

Item: **EL994W** (All White)
EL994DW (All White)
Lamp: 40W A19 or R16, 50W PAR20 or R20



Style: **Baffle Trim with Socket Bracket**

Item: **EL995W** (All White)
EL995B (Black/White Ring)
EL995N (All Nickel)
EL995BZ (All Bronze)
Lamp: 55W PAR16, 50W PAR20 OR R20



Style: **Eyeball Trim**

Item: **EL998W** (All White)
EL998C (Clear)
Lamp: 40W R16, 50W PAR20 OR R20



Style: **Reflector Trim with Socket Bracket**

Item: **EL999KW** (All White)
EL999KC (Chrome/White Ring)
EL999KCBZ (Chrome/Bronze Ring)
Lamp: 40W R16, 50W PAR20 OR R20

PRODUCT NUMBER BUILDER

STEP 2. Specify Trim part number (Select one)

4" LINE VOLTAGE ROUND TRIMS



Style: **Reflector Trim**
Item: **EL999W** (All White)
EL999B (Black/White Ring)
EL999BB (All Black)
EL999BZ (All Bronze)
EL999C (Clear/White Ring)
EL999H (Haze/White Ring)
EL999CN (Chrome/Nickel Ring)
EL999DC (Clear/White Diecast Ring)
Lamp: 40W R16, 50W PAR20 OR R20



Style: **Shower Reflector Trim with Clear Lens**
Item: **EL9111W** (White)
Lamp: 40W A19, 50W PAR20



Style: **Shower Reflector Trim with Frosted Lens**
Item: **EL9112W** (White)
Lamp: 40W A19, 50W PAR20



Style: **Shower Reflector Trim with Fresnel Lens**
Item: **EL9113W** (White)
Lamp: 40W A19, 50W PAR20



Style: **Shower Reflector Trim with Frosted Pinhole Glass**
Item: **EL9115W** (White)
Lamp: 40W A19, 50W PAR20



Style: **Shower Reflector Trim with Drop Opal Lens**
Item: **EL9116W** (White)
Lamp: 50W PAR20 or R20



Style: **Die-cast Reflector Trim**
Item: **ELL4810W** (All White)
Lamp: 50W PAR20



Style: **Die-cast Lensed Reflector Trim**
Item: **ELI4812W** (All White)
Lamp: 50W PAR20

4" LINE VOLTAGE SQUARE TRIMS



Style: **Baffle Trim**
Item: **EL991W** (All White)
EL991B (Black/White Ring)
Lamp: 40W A19 or R16, 50W PAR20 or R20



Style: **Shower Trim with Frosted Lens**
Item: **EL2912W** (White)
Lamp: 30W R20



Style: **Shower Trim with Frosted Pinhole Glass**
Item: **EL2915W** (White)
Lamp: 30W R20



Style: **Phenolic Baffle Trim**
Item: **EL2993W** (White)
EL2993B (Black/White Ring)
EL2993BB (All Black)
Lamp: 40W A19 or R16, 50W PAR20 or R20



Style: **Deep Phenolic Baffle Trim**
Item: **EL2994W** (All White)
EL2994B (Black/White Ring)
Lamp: 40W A19 or R16, 50W PAR20 or R20



Style: **Reflector Trim**
Item: **EL2999W** (All White)
EL2999B (Black/White Ring)
EL2999C (Clear/White Ring)
EL2999BZ (All Bronze)
EL2999KW (All White w/ Socket Bracket)
Lamp: 50W PAR20 or R20

4" LINE VOLTAGE SQUARE TRIMS



Style: **Metal Reflector Trim**
Item: **EL2982W** (All White)
Lamp: 50W PAR20 or R20



Style: **Metal Baffle Trim**
Item: **EL2983W** (All White)
Lamp: 50W PAR20



Style: **Diecast Baffle Trim**
Item: **EL2984W** (All White)
EL2984B (All Black)
Lamp: 50W PAR20



Style: **Gimbal Trim**
Item: **EL2985W** (All White)
EL2985BZ (All Bronze)
Lamp: 50W PAR20




Style: **Diecast Baffle Trim**
Item: **ELL4816W** (All White)
Lamp: 50W PAR20

PRODUCT DIMENSIONS

LINE VOLTAGE IC & NON IC HOUSINGS

EL99ICA


AIRTIGHT IC HOUSING WITH ADJUSTABLE LAMP HOLDER





EL99RICA


AIRTIGHT REMODEL HOUSING WITH ADJUSTABLE LAMP HOLDER






EL99FICA


AIRTIGHT NEW CONSTRUCTION 2-HOUR FIRE RATED HOUSING





EL99AJICA


MEDIUM BASE IC AIRTIGHT NEW CONSTRUCTION HOUSING






EL99LDICA/EL99A


E26 BASE ICA NEW CONSTRUCTION HOUSING






EL99RA


REMOLDE HOUSING WITH ADJUSTABLE LAMP HOLDER





EL99ICA-G24


AIRTIGHT IC HOUSING WITH GU24 BASE SOCKET





EL99RICA-G24

AIRTIGHT IC REMODEL HOUSING WITH GU24 BASE SOCKET






PRODUCT DIMENSIONS

ROUND LINE VOLTAGE TRIMS

EL901

AIRTIGHT SMOOTH CONE REFLECTOR TRIM






W (White)



C (Clear)

EL902

AIRTIGHT BAFFLE CONE REFLECTOR TRIM






W (White)

EL911

SHOWER TRIM WITH CLEAR LENS






W (White)

EL912

SHOWER TRIM WITH FROSTED LENS





B (All Black)



BZ (All Bronze)



SH (White Lexan)




N (Nickel)



W (All White)

EL913

SHOWER TRIM WITH FRESNEL LENS





W (White)




B (All Black)



SH (Lexan Ring)

EL915

SHOWER TRIM WITH FROSTED PINHOLE GLASS





B (All Black)



BZ (All Bronze)



SH (White Lexan)




W (All White)

PRODUCT DIMENSIONS

ROUND LINE VOLTAGE TRIMS

EL916

SHOWER TRIM WITH DROP OPAL LENS




W (All White)

B (Black)

SH (Lexan Ring)

EL925

WALL WASH WITH REFLECTOR TRIM




W (All White)

C (Chrome with White Trim)

EL926

CHROME REFLECTOR WITH SUSPENDED FROSTED GLASS TRIM




B (All Black)

W (All White)

BZ (All Bronze)

EL930


OPEN TRIM



W (All White)

EL977

REFLECTOR WITH ADJUSTABLE SOCKET HOLDER BRACKET



W (All White)


B (Black with White Trim)

G (Gold with White Trim)

C (Chrome with White Trim)

EL985

ADJUSTABLE GIMBAL RING TRIM



B (All Black)

W (All White)

BZ (All Bronze)

2042 E. Vernon Ave., Vernon, CA 90058 • Tel (323) 231-2600 Fax (323) 231-3200 • elcolighting.com
© ELCO Lighting 2024. All rights reserved • Rev. 21 Dec 2023 • ELCO Lighting reserves the right to make specification and design changes without notice.



8

PRODUCT DIMENSIONS

ROUND LINE VOLTAGE TRIMS

EL988

ADJUSTABLE SPOT TRIM




W (White)

B (Black)

EL990

PINHOLE TRIM




W (White)

BB (All Black)

BZ (All Bronze)

EL992

WALL WASH BAFFLE TRIM




W (All White)

B (Black with White Trim)

EL993

PHENOLIC STEP BAFFLE TRIM



W (All White)

B (Black with White Trim)

N (All Nickel)



BB (All Black)

BZ (All Bronze)


BN (Black with Nickel Trim)



NB (Nickel with Black Trim)

WN (White with Nickel Trim)

NW (Nickel with White Trim)



BBZ (Black with Bronze Trim)

BZW (Bronze with White Trim)

WBZ (White with Bronze Trim)

2042 E. Vernon Ave., Vernon, CA 90058 • Tel (323) 231-2600 Fax (323) 231-3200 • elcolighting.com
© ELCO Lighting 2024. All rights reserved • Rev. 21 Dec 2023 • ELCO Lighting reserves the right to make specification and design changes without notice.


9

PRODUCT DIMENSIONS


ROUND LINE VOLTAGE TRIMS

EL993

BAFFLE TRIM WITH LAMPHOLDER BRACKET







W (All White)

B (Black w/ White Ring)

N (All Nickel)

BZ (All Bronze)


BN (Black with Nickel Trim)

NB (Nickel with Black Trim)

NW (Nickel with White Trim)

EL994

STEPPED PHENOLIC BAFFLE TRIM






W (All White)

EL994D

STEPPED PHENOLIC DEEP BAFFLE TRIMS






W (All White)

EL995

BAFFLE TRIM WITH SOCKET BRACKET






BZ (All Bronze)

N (Nickel)


W (All White)

B (Black with White Trim)

PRODUCT DIMENSIONS

ROUND LINE VOLTAGE TRIMS

EL998
EYEBALL TRIM






W (All White)

C (Clear)

EL999
REFLECTOR TRIM WITH SOCKET BRACKET






W (All White)

C (Chrome with White Trim)

CBZ (Chrome with Bronze Trim)

EL999
REFLECTOR TRIM





BZ (All Bronze)

W (All White)

B (Black with White Trim)



C (Clear with White Trim)


H (Haze with White Trim)

BB (All Black)



CN (Clear with Nickel Trim)

EL911
SHOWER REFLECTOR TRIM WITH CLEAR LENS





W (All White)


2042 E. Vernon Ave., Vernon, CA 90058 • Tel (323) 231-2600 Fax (323) 231-3200 • elcolighting.com
© ELCO Lighting 2024. All rights reserved • Rev. 21 Dec 2023 • ELCO Lighting reserves the right to make specification and design changes without notice.

11

PRODUCT DIMENSIONS


ROUND LINE VOLTAGE TRIMS

EL9112
OPEN TRIM




W (White)

EL9113
SHOWER TRIM WITH FRESNEL LENS




W (All White)

EL9115
SHOWER TRIM WITH FROSTED PINHOLE GLASS




W (All White)

EL9116
SHOWER REFLECTOR TRIM WITH DROP OPAL LENS




W (All White)

ELL4810
DIECAST REFLECTOR TRIM



W (All White)

ELL4812
DIECAST LENSED REFLECTOR TRIM




W (All White)

PRODUCT DIMENSIONS

SQUARE LINE VOLTAGE TRIMS

EL991
BAFFLE TRIM




W (All White)



B (Black with White Trim)

EL2912
SHOWER TRIM WITH FROSTED LENS




W (All White)




BZ (All Bronze)

EL2915
SHOWER TRIM WITH FROSTED PINHOLE GLASS



W (All White)

EL2993
PHENOLIC BAFFLE TRIM



W (All White)




BB (All Black)



B (Black with White Trim)

EL2999
REFLECTOR TRIM



W (All White)



C (Clear with White Trim)




BZ (All Bronze)



B (All Black)

EL2983
METAL BAFFLE TRIM



W (All White)

PRODUCT DIMENSIONS

SQUARE LINE VOLTAGE TRIMS

EL2984
DIECAST BAFFLE TRIM

W (All White)

B (All Black)

EL2985
GIMBAL TRIM

W (All White)

BZ (All Bronze)

ELL4816
DIECAST BAFFLE TRIM

W (All White)

TECHNICAL DETAILS

Construction (Housing): IC rated for direct contact with insulation, for use in IC or non-IC conditions. Housing adjusts in frame to accommodate up to 1 1/4" ceiling thickness. Airtight housing with gasket to restrict airflow in accordance with ASTM E-283 air-tight requirements. Aluminum housing for greater heat dissipation with a stamped galvanized steel frame.

Construction (Trims): Meticulously manufactured trim with a powder-coated or anodized finish, Diecast trim ring for durability and lasting quality, Baffle options available to help reduce glare.

Installation (Housing): Designed for ceiling plenums where 2x6 or 2x8 joists or taller are used. High-strength hanger bars can easily be nailed to joists. Maximum hole cutout is 4 1/4". Suitable for T-grid and drop ceiling applications. See installation sheet for detailed information.

Installation (Trims): Clips securely mount trim into the housing and keep the ring flush with the ceiling.

Junction Box: Positioned to accommodate straight conduit runs. Includes seven 1/2" trade size pryout conduit knockouts, four Romex pryouts with strain relief, and two 3/4" knockout slots.

Hanger Bars: Pre-installed hanger bars with True Nail facilitate easy installation in regular lumber, engineered lumber, and laminated beams. Integral T-bar slots allow for easy installation in T-grids. Hanger bars span up to 24" and can be repositioned 90°. Score lines allow for tool-free hanger bar size reduction. An integral leveling flange allows for single-person installation while aligning the housing with the joists.

Electrical: Input voltage is 120V AC. The fixture is thermally protected against improper lamping.

Lamp Compatibility: Designed for use with Medium Base (E26) PAR lamps up to 50W, LED inserts, or 18W max self-ballasted 120V CFL with a GU24 base. Requires PSA28. Not for use in IC housings or 50W JDR.

Listings: cUL Listed for Damp Location, Feed Through, and Direct Contact with Insulation and Combustible Material. Airtight per ASTM E-283. Install a JA8-2016-E lamp/luminaire for Title 24 Compliance.

Warranty: ELCO Lighting warrants products will be free from defects in materials and workmanship for a period of 3 years.